



TRUSTED TOOLS FOR
AEROSPACE

POWERING AVIATION

Daniels Manufacturing Corporation® has expertly designed qualified tooling for aerospace platforms for over 75 years. Our deep understanding of the aerospace industry coupled with our comprehensive product catalog enables us to streamline the connector assembly process. Both major commercial airliners and mission-critical military platforms trust DMC to provide high-quality tools to maintain, repair, and build their complex wire harnesses.

DMC tools are backed by certifications and approvals from major aerospace organizations such as SAE International, the International Organization for Standardization, and the Department of Defense. DMC is proud to be a QPL authorized supplier that is registered with AS9100D and ISO9001:2015.

Platforms Powered by DMC Tools

Our tooling empowers technicians to maintain a wide range of aerospace platforms with precision and confidence, including:

- Commercial Aircraft
- Military Aircraft
- General Aviation Aircraft
- Commercial Rotorcraft
- Military Rotorcraft
- Spacecraft



COMMON APPLICATIONS


DMC tools support aircraft manufacturing, overhaul, and ongoing maintenance efforts. Below is a small sample of common applications in which DMC tooling can offer increased efficiency and reliability.




Avionics



Power Distribution



Cable Management



**Connector and Wire
Harness Assembly**

INDENT CRIMP TOOLS

DMC indent crimp tools crimp machined contacts with unparalleled precision compared to other alternatives. The following tools are compatible with contacts commonly found in avionics, sensors, and infotainment systems. The high versatility and range of these tools streamlines the crimping process for harness manufacturers and design engineers.

AF8® / AF8-ERGO™

Crimpadora de 8 Indentaciones de Rango Superior

AWG	26 - 12
MILITARY P/N	M22520/1-01
POSITIONER TYPE	TH or TP
DIMENSIONS	9.8" x 2.5" x 1.1"
PNEUMATIC EQUIV.	WA27F M22520/29-01



AFM8® / AFM8-ERGO

Crimpadora de 8 Indentaciones de Rango Inferior

AWG	32 - 20
MILITARY P/N	M22520/2-01
POSITIONER TYPE	K
DIMENSIONS	7.5" L x 2.4" W x .8" H
PNEUMATIC EQUIV.	WA22 M22520/28-01



INSERTION AND REMOVAL TOOLS

DMC provides insertion and removal (I/R) tools to aid in the installation and extraction of contacts. I/R tools are precisely engineered to apply the correct force without compromising the integrity of the termination. Multiple styles of I/R tools are available to accommodate front and rear release connectors.



DMC1155
General Purpose Insertion
and Removal Tool Kit

LARGE GAUGE CRIMP TOOLS

23 SERIES CRIMP TOOLS

The 23 Series tooling is designed to produce an indent crimp on large gauge machined contacts and uninsulated terminals/lugs commonly seen in high-voltage applications. These tools cover a wire range of 8 to 4/0 AWG and are available in pneumatic, manual hydraulic, or battery power types.

NEW



WA23B®

MILITARY P/N	M22520/23-01
POWER TYPE	Pneumatic
DIMENSIONS	15.2" x 7.3" x 9.8"
WEIGHT	16.3 lbs



WA23®

MILITARY P/N	M22520/23-01
POWER TYPE	Pneumatic
DIMENSIONS	17" x 7.3" x 10"
WEIGHT	20.1 lbs



HD23

MILITARY P/N	M22520/48-01
POWER TYPE	Manual Hydraulic
DIMENSIONS	23" x 4" x 5.8"
WEIGHT	13.8 lbs



HDE23C

MILITARY P/N	-
POWER TYPE	Battery Hydraulic
DIMENSIONS	17.9" x 4" x 13.3"
WEIGHT	13.3 lbs

FORM CRIMP TOOLS

DMC form crimp tools can be paired with hundreds of interchangeable die sets that can crimp outer RF contact ferrules, ferrules, coax connectors, stamped and formed contacts, and terminals. Each crimp tool provides a high-quality crimp that maintains the electrical integrity of your platform’s power distribution and control systems. Powered equivalents streamline the crimping process by providing a mechanical advantage and accommodate interchangeable Y dies compatible with the HX4 series tools.

HX4 SERIES



26 to 10 AWG



	HX3	HX4®	HXE4C	HX33	HX23
MILITARY P/N	M22520/10-01	M22520/5-01	-	-	-
POWER TYPE	Manual	Manual	Battery	Pneumatic	Pneumatic
DIE TYPE	X Dies	Y Dies	Y Dies	Y Dies	Y Dies
DIMENSIONS	9" x 1.5" x 0.8"	11" x 2" x 0.9"	4.5" x 2.9" x 15.7"	11.8" x 4.9" x 10.2"	16" x 6" x 4"
WEIGHT	11 oz	1.3 lbs	3.9 lbs	32 lbs	18.5 lbs

51 SERIES CRIMP TOOLS

The 51 series tools are form crimp tools that provide 6 tons of crimping force using HD51 dies, qualified to AS5259/7. These tools have the ability to crimp insulated and uninsulated terminals onto copper and aluminum cables. All 51 series tools can accommodate wire ranges of 8 to 2/0 AWG and are equipped with a 340° rotating head that enhances maneuverability. Dies are sold separately.



	HD51	XHD51	HDE51C
MILITARY P/N	M5259/5-01	M5259/4-01	M5259/8-01
POWER TYPE	Manual Hydraulic	Remote Hydraulic	Battery
DIMENSIONS	14" x 2" x 5"	9" x 2" x 2.8"	15.4" x 2.9" x 4.6"

GENERAL MAINTENANCE (GMT) CRIMP TOOLS

DMC's GMT tools are manufactured to OEM or connector supplier specifications and are well-suited for a variety of applications. Each GMT tool features a fixed jaw that is designed for crimping specific components such as stamped and formed contacts, insulated and uninsulated terminals, splices, end caps, and coaxial connectors. These tools are ideal for crimping environmental contacts and splices. They are also available in pneumatic and battery-powered options.



GMT232

MILITARY P/N	M22520/37-01
APPLICATION	M81824 Environmental Splices
DIMENSIONS	8.8" x 2.3" x .9"
WEIGHT	1.2 lbs

NSN: 5120-01-120-8721, 5120-01-361-9615



GMT1005

APPLICATION	Stamped / Formed Solistrand Uninsulated Terminals
DIMENSIONS	8.4" x 2.5" x .5"
WEIGHT	12.8 oz

EMC3300

DMC engineered the EMC3300 to precisely crimp stamped and formed contacts, terminals, and splices onto copper and aluminum wire. This lightweight electromechanical crimp tool offers an ergonomic advantage with its single trigger design and pre-clamp function. The EMC3300 has interchangeable die sets and accommodates some die sets supplied by connector sources.



EMC3300

POWER TYPE	Electromechanical
AWG	26 - 10
DIE TYPE	EMC Dies
DIMENSIONS	9.9" x 2.5" x 3.6"
WEIGHT	2.2 lbs

LACELOK®

SECONDARY HARNESS SUPPORT FOR WIRE HARNESSES

LaceLok® Cable Lacing Fasteners were designed to replace cable ties and hand-tied lacing tape for secondary support of wire harnesses. The LaceLok system is ergonomic and provides consistent support with unrivaled strength and superior performance.

LaceLok is made of aerospace-grade materials and features a small, rounded fastener and meta-aramid fiber lace that can come in various colors and lengths. This combination of materials provides superior resistance to fuel, chemicals, abrasion, and extreme operating temperatures. It perfectly accommodates pressure sensitive components and can create breakouts in a method similar to cable-ties or hand-tied lace. Operators can use a multi-wrap configuration around the wire harness to increase tensile strength up to 165 lbs.

IMPROVE YOUR CAPABILITIES

The DLT-1100 LaceLok installation tool applies 20 lbs (+/- 2 lbs) of tension to consistently produce reliable lace terminations. It also reduces operator fatigue and repetitive motion injuries common with other secondary support methods.



DLT-1100
LaceLok Installation Tool

The DMC2300-10NA1 is a starter kit that provides all the necessary items to properly install LaceLok. It includes an installation tool, guarded cutters, a replacement blade, and 100 pieces of LaceLok (LF2-10NA1).



DMC2300-10NA1
LaceLok Starter Kit



LACELOK BROCHURE
Scan for more information

BANDING TOOLS

BANDING TOOLS

DMC banding tools streamline connector assembly procedures involving EMI/RFI bands. A secure band termination ensures the underlying harness is protected from electromagnetic interference and damage. DMC's one-step banding tools are designed with a tension-lock system that seamlessly tensions, locks, and cuts the band when the correct amount of tension has been applied. DMC also offers two-step banding tools designed to terminated welded bands.

	DBS-2100	DBS-2200
TENSION RANGE	145 - 155 lbf	75 - 85 lbf
BAND WIDTH	0.250"	0.125"
COILED BAND P/N	DBS-128-4	DBS-128-8
FLAT BAND P/N	DBS-128-3	DBS-128-7
DIMENSIONS	6.8" x 6.7"	6.8" x 6.7"



TWIST-STRIP®

Twist-Strip is an outer jacket wire stripper designed to deliver consistent and precise results. Its innovative design allows it to glide effortlessly around M27500 twisted cables without compromising shielding or inner conductors. It can accommodate 1 to 4 conductor cables with diameters ranging from 0.081" to 0.310". Twist-Strip offers wide coverage, adjustability, and safety.

	TSK8000	TSK8500
CABLE OUTER DIAMETER RANGE	0.081" - 0.180" Diameter Cable	0.180" - 0.310" Diameter Cable
MILITARY P/N	M32610/01-01	-
DIMENSIONS	1.6" Wide 8.8" Tall	1.7" Wide 9.4" Tall



BANDING BROCHURE
Scan for more information



TWIST-STRIP BROCHURE
Scan for more information



SAFE-T-CABLE®

Safe-T-Cable® installs 3 times faster than lockwire and produces a stronger and more reliable result. The user-friendly tool guarantees a consistent and smooth installation which greatly reduces the risk of injury. Safe-T-Cable also reduces repetitive motion injuries and Foreign Object Debris (FOD).

Safe-T-Cable is available in .022", .032", .040", and .062" diameters and several lengths ranging from 9"- 24".

SCTR323



ADJUSTABLE TENSION MANUAL TOOL SERIES

The most popular manual Safe-T-Cable tool is the adjustable tension tool (SCTR). The rotary tension mechanism on this tool can be adjusted to your precise cable tension requirements.

SCTE625C



SCTE323C

BATTERY-POWERED TOOL

Our battery-powered Safe-T-Cable tools are adjustable tension tools that make crimping cable easier and faster. New features allow the operator to track tool performance, users, and projects. Crimp data is viewable in real-time on the LED display, or can be downloaded via Bluetooth® to an app.

PNEUMATIC TOOL

Pneumatic Safe-T-Cable tools are ideal for high production environments and are available in adjustable tension and pre-set tension options.

SCTP327



SCTPRM403



ACCESS THE SAFE-T-CABLE BROCHURE
Scan for more information

TOOL KITS

DMC has built electrical wiring interconnect system (EWIS) maintenance tool kits for over 50 years. Each kit is thoroughly researched to include the necessary tools to prepare, terminate, install and remove wires. Our kits are available in multiple configurations including hand-carry kits, trolley cases, or roll-around cabinets. Tool kits are available in platform-specific, connector-specific, general purpose, and custom designed options tailored to the unique needs of our customers. Several of our most popular kits are listed in the table below:

APPLICATION	DMC PART NUMBER
AIRBUS A318, A319, A320, A321, A330, & A340	DMC519
BOEING 737 Series: -600, -700, -800, & -900, BBJ 737 (Boeing Business Jets), & Next-Generation 737	DMC1264
BOEING KC-46 Pegasus	DMC2119
LOCKHEED MARTIN F-16 Block 70 & All Prior Variants	DMC2271
SIKORSKY AIRCRAFT S-70 (UH-60 Blackhawk)	DMC787
GENERAL PURPOSE MAINTENANCE KIT AMP "NICC" ARINC600, ITT Cannon "BKAD/BKAE" ARINC600, MIL-DTL-24308 (Miniature Rack & Panel), MIL-DTL-26482 (Series 1 & 2), MIL-DTL-28748 (Rack & Panel), MIL-DTL-38999 (Series 1 - 4), MIL-DTL-83723 (Series 3), Radiall "NSX" ARINC600, Souriau "S600" ARINC600, SAE-AS7928 (Insulated/Uninsulated Terminals), SAE-AS50151 (3450 Series), SAE-AS81824 (Environmental Splices)	DMC1149



ACCESS THE TOOL KIT BROCHURE
Scan for more information



Daniels Manufacturing Corporation
526 Thorpe Road, Orlando, Florida 32824 USA
407-855-6161 dmc@dmctools.com
www.dmctools.com